



**Monthly Firefighter's Service Emergency  
Operation and Elevator Two-Way  
Communication Verification  
Effective – July 29, 2026.**

PO Box 2308 • 249 Warren Ave • Silverthorne, CO 80498 • [elevator@nwccog.org](mailto:elevator@nwccog.org) • [www.nwccog.org](http://www.nwccog.org)

**Discussion:**

**MEMBER  
JURISDICTIONS**  
City of Glenwood  
Springs

Colorado Conveyance Regulations 7 C.C.R. 1101-8, Section 2-3-3 (2) (c) (iv) (A) requires Firefighters Service Emergency Operation to be checked Monthly to ensure it functions as required by Code.

**ROUTT COUNTY**  
City of Steamboat  
Springs  
Town of Hayden

Additionally, Section 2-3-3 (2) (c) (iv) (B) requires that elevator car emergency two-way communication operation be verified on a quarterly basis.

**EAGLE COUNTY**  
Avon  
Basalt  
Eagle  
Gypsum  
Minturn  
Red Cliff  
Vail

The Northwest Colorado Council of Governments (NWCCOG), Elevator Inspection Program (EIP), views the need to have elevator car emergency two-way communication verified at the same frequency as Firefighters Service Emergency Operation as these safety features are equally important.

**GRAND COUNTY**  
Fraser  
Granby  
Grand Lake  
Hot Sulphur Springs  
Kremmling  
Winter Park

If the riding public is stuck in an elevator without a means to contact someone for help it creates serious safety concerns.

**Policy:**

**JACKSON COUNTY**  
Walden

Therefore, effective immediately, elevator car emergency two-way communication systems shall be checked on the same Monthly frequency as required for Firefighter's Service Emergency Operation. It is the responsibility of the conveyance owner to ensure that all required functions are verified Monthly. The findings, of either pass or fail, shall be recorded on a Monthly log and maintained in the Maintenance Control Program (MCP) associated with each conveyance on-site.

**PITKIN COUNTY**  
Aspen  
Snowmass Village

**SUMMIT COUNTY**  
Breckenridge  
Blue River  
Dillon  
Frisco  
Keystone  
Montezuma  
Silverthorne  
Keystone

David Harris – Director

*David Harris*

Elevator Inspection Program

